

Safety Data Sheet

Specialty 835

Date: 05/26/2015

Version: 1

1. Identification

1.1. Product identifier

Product Identity Specialty 835

Alternate Names Specialty 835

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Etchant.

Application Method See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name U.S. Specialty Color Corporation
5624 Cannon Drive
Monroe, NC 28110

Emergency

24 hour Emergency Telephone No. 1-800-424-9300

Customer Service: U.S. Specialty Color Corporation 704-292-1476

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Skin Corr. 1A;H314 Causes severe skin burns and eye damage.

Eye Damage 1;H318 Causes serious eye damage.

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



Danger

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

[Prevention]:

Safety Data Sheet

Specialty 835

Date: 05/26/2015

Version: 1

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust / fume / gas / mist / vapors / spray.

P264 Wash thoroughly after handling.

P262 Do not get in eyes, on skin, or on clothing.

P280 Wear protective gloves / eye protection / face protection.

[Response]:

P303+361+353 IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.

P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P333+313 If skin irritation or a rash occurs: Get medical advice / attention.

P363 Wash contaminated clothing before reuse.

P308+313 IF exposed or concerned: Get medical advice / attention.

[Storage]:

No GHS storage statements.

[Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Sodium hydroxide CAS Number: 0001310-73-2	50 - 80	Skin Corr. 1A;H314 Eye Damage 1;H318	[1]
Surfactants CAS Number: Proprietary	25 - 50	Not Classified	[1]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

*The full texts of the phrases are shown in Section 16.

4. First aid measures

4.1. Description of first aid measures

General

In all cases of doubt, or when symptoms persist, seek medical attention.
Never give anything by mouth to an unconscious person.

Inhalation

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain

Safety Data Sheet

Specialty 835

Date: 05/26/2015

Version: 1

	immediate medical attention. Give nothing by mouth.
Eyes	Immediately flush the eyes with large amounts of water for at least 15 minutes, alternately lifting the upper and lower eyelids. After 5 minutes, if appropriate, remove contact lenses and continue flushing the eyes for an additional 15 minutes. Call a physician at once.
Skin	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
Ingestion	If conscious, give victim two glasses of water to dilute ingested material. Get immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Overview	Emergency overview
	Harmful if inhaled. Contact with eyes may cause severe irritation and may cause burns, loss of vision. Harmful if swallowed.
Inhalation	Corrosive, destructive to tissues of mucous membranes and upper respiratory tract.
Ingestion	Corrosive, swallowing can cause severe burns of mouth, throat, stomach, leading to death.
Skin	Corrosive, can cause severe irritation to the skin.
Eye	Corrosive, can cause blurred vision, redness, tissue burns and severe irritation.

5. Fire-fighting measures

5.1. Extinguishing media

As appropriate for surrounding fire. Not considered to be a fire hazard.

5.2. Special hazards arising from the substance or mixture

Hazardous composition products: Burning may produce sodium oxides.

5.3. Advice for fire-fighters

Fire-fighters should wear appropriate equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

ERG Guide No. ----

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Safety Data Sheet

Specialty 835

Date: 05/26/2015

Version: 1

6.3. Methods and material for containment and cleaning up

Wear prescribed protective equipment. Vacuum or sweep up material and place in a designated container immediately. Prevent run off to drains, sewers or other public waterways.

Waste material may be disposed of by a licensed waste facility contractor.

7. Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes, skin, and clothing. Eating, drinking, and smoking should be prohibited in areas where this material is handled. Wash hands and face before eating, drinking, and smoking. Put on appropriate personal protective equipment (see section 8).

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: No data available.

Store in original container, in a cool, dry location. Close package tightly after removal of product.

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
0001310-73-2	Sodium hydroxide	OSHA	TWA : 2.00 mg/m3
		ACGIH	TLV: 2.00 mg/m3
		NIOSH	No Established Limit
		Supplier	No Established Limit
Proprietary	Surfactants	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

The exposure limits for nuisance dust are: OSHA PEL: 15 mg/m3 (50 mppcf*) TWA, ACGIH 10 mg/m3.

Carcinogen Data

Safety Data Sheet

Specialty 835

Date: 05/26/2015

Version: 1

CAS No.	Ingredient	Source	Value
0001310-73-2	Sodium hydroxide	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
Proprietary	Surfactants	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

8.2. Exposure controls

Respiratory

If risk assessment indicates this is necessary, an appropriate NIOSH approved respirator for dust should be worn. Use type N95 (US) or type P3 (EN 143).

Eyes

Use chemicals safety goggles / or a full face shield where splashing is possible..

Skin

Wear a rubber or plastic apron. Wear clothing suitable to avoid skin contact and clean after every shift. Wear impermeable rubber or plastic gloves.

Engineering Controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

Other Work Practices

Eye wash fountain and emergency showers are recommended. Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

9. Physical and chemical properties

Appearance	White Powder
Odor	Not Measured
Odor threshold	Not Measured
pH	Not Measured
Melting point / freezing point	604F / Not Measured
Initial boiling point and boiling range	2,534F
Flash Point	Not Measured
Evaporation rate (Ether = 1)	Not Measured
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: Not Measured Upper Explosive Limit: Not Measured
Vapor pressure (Pa)	Not Measured
Vapor Density	Not Measured
Specific Gravity	Not Measured

Safety Data Sheet

Specialty 835

Date: 05/26/2015

Version: 1

Solubility in Water	Not Measured
Partition coefficient n-octanol/water (Log Kow)	Not Measured
Auto-ignition temperature	Not Measured
Decomposition temperature	Not Measured
Viscosity (cSt)	Not Measured
Solubility in Water	Not Measured

9.2. Other information

No other relevant information.

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Moisture.

10.5. Incompatible materials

Strong oxidizing agents and acids..

10.6. Hazardous decomposition products

When used and handled as directed, none.

11. Toxicological information

Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Sodium hydroxide - (1310-73-2)	No data available	No data available	No data available	No data available	No data available
Surfactants - (Proprietary)	No data available	No data available	No data available	No data available	No data available

Skin and eye corrosion/irritation:

Sodium hydroxide: skin, rabbit: 24 h severe burns.

Safety Data Sheet

Specialty 835

Date: 05/26/2015

Version: 1

Sodium hydroxide: eye rabbit: 24 h corrosive.

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	1A	Not Applicable
Serious eye damage/irritation	1	Not Applicable
Respiratory sensitization	---	May cause allergy or asthma symptoms of breathing difficulties if inhaled.
Skin sensitization	---	May cause an allergic skin reaction.
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

12. Ecological information

12.1. Toxicity

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and GHS and is not classified as dangerous for the environment, but contains substance(s) dangerous for the environment. See section 3 for details

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Sodium hydroxide - (1310-73-2)	Gambusia - 125	Daphnia - 34.59	Not Available
Surfactants- (Proprietary)	Not Available	Not Available	Not Available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

Safety Data Sheet

Specialty 835

Date: 05/26/2015

Version: 1

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	1759	1759	1759
14.2. UN proper shipping name	UN1759, Corrosive Solid, N.O.S. (sodium hydroxide), 8 PG II	UN1759, Corrosive Solids, N.O.S. (sodium hydroxide), 8 PG II	UN1759, Corrosive Solids, N.O.S. (sodium hydroxide), 8 PG II
14.3. Transport hazard class(es)	DOT Hazard Class: 8	IMDG: 8 Sub Class: Not Applicable	Air Class: 8
14.4. Packing group	II	II	II
14.5. Environmental hazards			
IMDG	Marine Pollutant: No		
14.6. Special precautions for user	Danger: Corrosive substance (sodium hydroxide)		

15. Regulatory information

Regulatory Overview	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.
Toxic Substance Control Act (TSCA)	All components of this material are either listed or exempt from listing on the TSCA Inventory.
WHMIS Classification	E
US EPA Tier II Hazards	

Fire: No

Sudden Release of Pressure: No

Reactive: No

Safety Data Sheet

Specialty 835

Date: 05/26/2015

Version: 1

Immediate (Acute): Yes

Delayed (Chronic): Yes

EPCRA 311/312 Chemicals and RQs (lbs):

Sodium hydroxide (1,000.00)

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%):

Sodium hydroxide

Pennsylvania RTK Substances (>1%):

Sodium hydroxide

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

Safety Data Sheet

Specialty 835

Date: 05/26/2015

Version: 1

We believe all the data and information given is accurate as of the date of preparation and is offered in good faith, but without warranty or representation. Since conditions of use are beyond our control, we disclaim all liability for reliance thereon. This is offered solely for your consideration, investigation and verification.

End of Document